

【取り寄せ品】 商品名

黄銅板 C2801P-1/4H

JIS規格銅及び銅合金板


JIS-H 3100

サイズ				
0.5	×	1000	×	2000
0.6	×	1000	×	2000
0.8	×	1000	×	2000
1.0	×	1000	×	2000
1.2	×	1000	×	2000
1.5	×	1000	×	2000
1.6	×	1000	×	2000
2.0	×	1000	×	2000
2.5	×	1000	×	2000
3.0	×	1000	×	2000
3.2	×	1000	×	2000
4.0	×	1000	×	2000
5.0	×	1000	×	2000
6.0	×	1000	×	2000
8.0	×	1000	×	2000
10.0	×	1000	×	2000
12.0	×	1000	×	2000
15.0	×	1000	×	2000
20.0	×	1000	×	2000
25.0	×	1000	×	2000

機械的性質

JIS-H 3100

合金 一質別	引張試験			曲げ試験			硬さ試験	
	厚さ mm	引張強さ N/mm ²	伸び %	厚さ mm	曲げ 角度	内側 半径	厚さ mm	ビッカース 硬さ(7)HV
C2801P -1/4H	0.3以上 30未満	355~440	25以上	2以下	180°	厚さの 1.5倍	0.3以上	84~145 (8)



【取り寄せ品】 商品名

銅小板 C2801P-1/4H

JIS規格銅及び銅合金板

JIS-H 3100

サイズ					1 ケース
0.1	×	365	×	1200	50
0.15	×	365	×	1200	50
0.2	×	365	×	1200	40
0.25	×	365	×	1200	30
0.3	×	365	×	1200	30
0.4	×	365	×	1200	20
0.5	×	365	×	1200	20
0.6	×	365	×	1200	15
0.7	×	365	×	1200	15
0.8	×	365	×	1200	10
1.0	×	365	×	1200	10
1.2	×	365	×	1200	10
1.4	×	365	×	1200	8
1.5	×	365	×	1200	8
1.6	×	365	×	1200	8
1.8	×	365	×	1200	7
2.0	×	365	×	1200	5
2.3	×	365	×	1200	5
2.5	×	365	×	1200	5
2.6	×	365	×	1200	5
3.0	×	365	×	1200	4
3.2	×	365	×	1200	4
3.5	×	365	×	1200	3
4.0	×	365	×	1200	3
4.5	×	365	×	1200	3
5.0	×	365	×	1200	2
6.0	×	365	×	1200	2

銅小板

C2801P-1/4H

JIS規格銅及び銅合金板

JIS-H 3100

サイズ					1ケース
8.0	×	365	×	1200	1
10.0	×	365	×	1200	1
12.0	×	365	×	1200	1
15.0	×	365	×	1200	1
20.0	×	365	×	1200	1
25.0	×	365	×	1200	1
30.0	×	365	×	1200	1